



## PRV105P219LCD

### 105" 5K Resolution 21:9 Aspect Ratio LCD

**Format** - The ultra-wide form factor optimizes team collaboration for increased productivity while reducing meeting fatigue.

**Expanded Real Estate** – Leveraging the 5120x2160 pixel count and bold contrast capabilities, executive leaders can now take advantage of optimal eye-level height of screen placement to viewer ratio.

**Return to Work Enabler** – New layout supports hybrid workplace dynamic 21:9 aspect ratio to ensure both in-room participants and remote colleagues are face-to-face across a horizontal plan.

**Applications** – High Tech Interactive Conference Rooms, Digital Signage, Advanced Visualization, Control Rooms, Gaming and Hospitality, Luxury Retail, Higher Education, Corporate, Healthcare, and Industrial.

### Features

- 105" true 5K industrial display
- 21:9 Aspect Ratio LCD providing 33% more than 16:9 Displays
- Landscape & Portrait Installation Support
- 178° Viewing Angle
- 4mm Tempered Glass protection

## PRV105P219LCD | Technical Specification

Display	
Screen Size	105"
Aspect Ratio	21:9,Wide SXGA
Resolution	5120*2160 (5K)
Viewing Angle	178(H)/ 178(V)
Brightness	450cd/m2
Response Time	6ms
Display Color	16 bit 10.7B
Service Lifetime	≥50,000 hours

Surface Protection	
Surface Protection	Tempered Glass with 4mm thickness Standard

I/O	
DP IN	x2
HDMI IN	x2
EARPHONE	x1

Others (optional)	
Speaker	2x 10W

Power	
Power Supply	AC100 ~ 240V
Frequency	50/60Hz

Environment	
Operation Temperature	0°C ~ 50°C
Storage Temperature	-20°C ~ 60°C
Working Humidity	10% - 90%
Storage Humidity	10% - 85%

Packaging	
Product Size (WxHxD)	2509.7 x 1101.2 x 88.2 mm
Package Size (WxHxD)	2668 x 1295 x 240 mm
VESA	1000 x 400 mm
Net Weight	115 kg
Gross Weight	133 kg

# PRV105P219LCD | Mechanical Drawing

